

Reflective Tape

Professional Reflective Solutions
Full Range for Safety & Visibility

Wide Selection • Certified Quality
• Custom Solutions Available





MH New Office Building

About Ningbo MH

Founded in 1999, Ningbo MH is a leading global supplier of garment accessories and functional materials, serving customers in over 150 countries.

With 26+ years of experience, 3,000+ employees, and 9 factories covering 350,000 m², we provide strong production capacity and stable supply to support bulk orders and long-term cooperation.

MH offers over 10,000 products, including a full range of reflective tapes and safety materials widely used in workwear, safety vests, and industrial applications. Our products are designed to meet international quality standards and diverse market needs.

Supported by 2,000+ partner manufacturers and 4,000 long-term clients worldwide, we ensure reliable quality, competitive pricing, and efficient delivery.

MH — Your Trusted Partner for Reflective Solutions and Garment Accessories.

Catalogue


Standard Reflective Tape Series	02/04
普亮系列	
High Reflective Tape Series	05/07
高亮系列	
Bright Silver Reflective Tape Series	08/11
亮银系列	
Flame-Retardant Reflective Tape Series	12/15
阻燃系列	
Luminescent Reflective Tape Series	16/17
蓄光带系列	
4-Way Stretch Reflective Tape Series	18/19
四面弹系列	
Reflective Heat Transfer Films (Pattern-Cut).....	20/27
反光热贴膜&刻字膜系系列	
Prismatic Reflective Grid Tape Series.....	28/30
反光晶格带系列	
Reflective Warning Tape Series.....	31/33
反光警示带	
Decorative Reflective Tape Series	34/40
装饰品系列	


Reflective Performance Illustration

反光效果图

Reflective tape is a key product of MH, designed to enhance visibility and safety. Using advanced glass bead technology, the reflective layer returns light back to its source, making garments clearly visible in dark environments. This significantly increases detection distance and reaction time, ensuring better protection for workers and road users.

See Earlier. React Faster. Stay Safer.



A person is shown from behind, running on a path at night. They are wearing a dark long-sleeved shirt and dark pants, both of which are equipped with bright, reflective white strips. The strips are visible on the back of the shirt and around the waist. The background is dark, with some blurred lights and a blue geometric shape on the left side of the frame. The overall scene conveys a sense of motion and safety.

Standard Reflective Tape Series (普亮系列)

Standard reflective tape offers reliable visibility, it enhances safety in low-light and nighttime conditions by reflecting light efficiently.

Ideal for traffic, outdoor activities, cycling, etc. It's lightweight, easy to apply, and comfortable to wear—providing dependable protection for everyday use.

Standard Reflective Tape Series (普亮系列)

6801-1008 普亮化纤反光带

Standard Reflective Tape (Polyester)

OEKO-TEX® Standard 100
Reflectivity: ≤5 CPL
Color: Gray
Backing Fabric: Polyester



6801-1008 普亮化纤反光带

Standard Reflective Tape (Polyester)

OEKO-TEX® Standard 100
Reflectivity: 7–10 CPL
Color: Gray
Backing Fabric: Polyester



6801-1008 普亮化纤反光带

Standard Reflective Tape (Polyester)

OEKO-TEX® Standard 100
Reflectivity: 13–30 CPL
Color: Gray
Backing Fabric: Polyester



6802-1006 普亮T/C反光带

Standard Reflective Tape (T/C)

OEKO-TEX® Standard 100
Reflectivity: ≤30 CPL
Color: Gray
Backing Fabric: Polyester/Cotton (T/C)



6801-0003 彩色普亮化纤反光带


Colored Standard Reflective Tape (Polyester)

OEKO-TEX® Standard 100

Reflectivity: ≤ 30 CPL

Color: Fluorescent Yellow (custom colors available)

Backing Fabric: Polyester



6801-0003 彩色普亮化纤反光带


Colored Standard Reflective Tape (Polyester)

OEKO-TEX® Standard 100

Reflectivity: ≤ 30 CPL

Color: Fluorescent Orange (custom colors available)

Backing Fabric: Polyester



6802-0003 彩色普亮T/C反光带

Colored Standard Reflective Tape (T/C)

OEKO-TEX® Standard 100

Reflectivity: ≤ 30 CPL

Color: Fluorescent Yellow (custom colors available)

Backing Fabric: Polyester/Cotton (T/C)



6802-0003 彩色普亮T/C反光带


Colored Standard Reflective Tape (T/C)

OEKO-TEX® Standard 100

Reflectivity: ≤ 30 CPL

Color: Fluorescent Orange (custom colors available)

Backing Fabric: Polyester/Cotton (T/C)





High Reflective Tape Series (高亮系列)

High reflective tape made with advanced reflective materials, delivering superior brightness in low-light conditions.

It significantly enhances visibility and safety, making it ideal for cycling wear, workwear, bags, and more.

A reliable solution for outdoor and nighttime safety protection.

6801-2026 高亮化纤反光带

High Reflective Tape (Polyester)

ENISO20471 / ANSI107 / OEKO-TEX® Standard 100
Reflectivity: 380–400 CPL
Backing Fabric: Polyester
Wash Resistance: 60°C, 25 cycles (ISO6330)



6802-2012 高亮T/C反光带

High Reflective Tape (T/C)

ENISO20471 / ANSI107 / OEKO-TEX® Standard 100
Reflectivity: 380–400 CPL
Backing Fabric: Polyester/Cotton (T/C)
Wash Resistance: 60°C, 25 cycles (ISO6330)



6801-2031 高亮化纤反光带

High Reflective Tape (Polyester)


OEKO-TEX® Standard 100
Reflectivity: 260–330 CPL
Backing Fabric: Polyester
Wash Resistance: 40°C, 25 cycles



6802-2022 高亮T/C反光带

High Reflective Tape (T/C)

OEKO-TEX® Standard 100
Reflectivity: 260–330 CPL
Backing Fabric: Polyester/Cotton (T/C)
Wash Resistance: 40°C, 25 cycles



High Reflective Tape Series (高亮系列)

6801-2056 中亮化纤反光带

Medium Reflective Tape (Polyester)


OEKO-TEX® Standard 100
Reflectivity: 100–150 CPL
Backing Fabric: Polyester



6801-2034 中亮TC反光带

Medium Reflective Tape (T/C)

OEKO-TEX® Standard 100
Reflectivity: 150–230 CPL
Backing Fabric: Polyester/Cotton (T/C)







Bright Silver Reflective Tape Series (亮银系列)

Bright silver reflective tape delivers outstanding brightness and a striking reflective effect. Durable, water-resistant, and easy to cut, it is ideal for garments, bags, and safety markings. Designed to enhance visibility and safety in nighttime and low-light environments.

Bright Silver Reflective Tape Series (亮银反光带系列)

6801-3008 亮银化纤反光带

Bright Silver Reflective Tape (Polyester)

ENISO20471 / ANSI107 / OEKO-TEX® Standard 100
Reflectivity: >400 CPL
Color: Silver
Backing Fabric: 100% Polyester
Wash Resistance: 60°C, 20 cycles (ISO6330)



6801-3016 亮银化纤耐工业化水洗反光带

Bright Silver Reflective Tape (Polyester, Industrial Washing)

ENISO20471 / ANSI107 / OEKO-TEX® Standard 100
Reflectivity: >500 CPL
Color: Silver
Backing Fabric: 100% Polyester
Wash Resistance:
60°C, 35 cycles (ISO6330)
75°C, 30 cycles (ISO15797)
90°C, 25 cycles (ISO6330)
Dry cleaning: 30 cycles (ISO 3175)



6802-3013 亮银反光T/C带

Bright Silver Reflective Tape (T/C)

ENISO20471 / ANSI107 / OEKO-TEX® Standard 100
Reflectivity: >400 CPL
Color: Silver
Backing Fabric: Polyester/Cotton (T/C)
Wash Resistance: 60°C, 25 cycles (ISO6330)



Bright Silver Reflective Tape Series (亮银反光带系列)

6802-3003 亮银反光T/C带

Bright Silver Reflective Tape (T/C)

ENISO20471 / ANSI107 / OEKO-TEX® Standard 100

Reflectivity: >500 CPL

Color: Silver

Backing Fabric: Polyester/Cotton (T/C)

Wash Resistance: 60°C, 25 cycles (ISO6330)



6802-3016 亮银反光T/C带

Bright Silver Reflective Tape (T/C)

ENISO20471 / ANSI107 / OEKO-TEX® Standard 100

Reflectivity: >400 CPL

Color: Silver


Backing Fabric: Polyester/Cotton (T/C)

Wash Resistance:

60°C, 25 cycles (ISO6330)

75°C, 15 cycles (ISO15797)

Dry cleaning: 20 cycles (ISO3175)



6802-3018 亮银耐工业化水洗反光T/C带

Bright Silver Reflective Tape (T/C, Industrial Washing)

ENISO20471 / ANSI107 / OEKO-TEX® Standard 100

Reflectivity: >500 CPL

Color: Silver

Backing Fabric: Polyester/Cotton (T/C)


Wash Resistance:

60°C, 55 cycles (ISO6330)

75°C, 50 cycles (ISO15797)

90°C, 35 cycles (ISO6330)

Dry cleaning: 50 cycles (ISO3175)







Flame-Retardant Reflective Tape Series (阻燃系列)

It combines excellent visibility with reliable fire resistance.
It enhances wearer recognition in low-light conditions and helps slow combustion under high heat or flame exposure, reducing potential risks.
Durable and tear-resistant, it is ideal for protective clothing, safety gear, and workwear, and is widely used in firefighting, power, construction, and petrochemical industries.

Flame-Retardant Reflective Tape Series (阻燃系列)

6803-1002 亮银反光阻燃带

Flame-Retardant Bright Silver Reflective Tape (Cotton)

ENISO20471 / ANSI107 / EN469 / EN11612 / EN14116 / UL / OEKO-TEX® Standard 100
Reflectivity: >400 CPL
Color: Silver
Backing Fabric: 100% Cotton
Wash Resistance:
60°C, 30 cycles (ISO6330)
75°C, 15 cycles (ISO15797)
Dry cleaning: 25 cycles (ISO3175)



6803-1002 亮银工业水洗反光阻燃带

Flame-Retardant Bright Silver Reflective Tape (Cotton, Industrial Washing)

ENISO20471 / ANSI107 / EN469 / EN11612 / EN14116 / UL / OEKO-TEX® Standard 100
Reflectivity: >500 CPL
Color: Silver
Backing Fabric: 100% Cotton
Wash Resistance:
60°C, 50 cycles (ISO6330)
75°C, 50 cycles (ISO15797)
Dry cleaning: 50 cycles (ISO3175)



6803-2002 亮银全芳纶阻燃反光带

Flame-Retardant Bright Silver Permanent Reflective Tape (Aramid)

ENISO20471 / ANSI107 / EN469 / EN11612 / EN14116 / UL / OEKO-TEX® Standard 100
Reflectivity: >450 CPL
Color: Silver
Backing Fabric: 100% Aramid
Wash Resistance:
60°C, 30 cycles (ISO6330)
75°C, 20 cycles (ISO15797)
Dry cleaning: 25 cycles (ISO3175)



6803-2002 亮银工业水洗永久反光阻燃带

Flame-Retardant Bright Silver Permanent Reflective Tape (Aramid, Industrial Washing)

ENISO20471 / ANSI107 / EN469 / EN11612 / EN14116 / UL / OEKO-TEX® Standard 100
Reflectivity: >500 CPL
Color: Silver
Backing Fabric: 100% Aramid
Wash Resistance:
60°C, 50 cycles (ISO6330)
75°C, 50 cycles (ISO15797)
Dry cleaning: 50 cycles (ISO3175)




Flame-Retardant Reflective Tape Series (阻燃系列)

6808-3001 亮银全棉阻燃警示带

Flame-Retardant Bright Silver Reflective Warning Tape (Cotton)


ENISO20471 / ANSI107 / EN469 / EN11612 / EN14116 / UL / OEKO-TEX® Standard 100
Reflectivity: >350 CPL
Color: Yellow–Silver–Yellow
Backing Fabric: 100% Cotton
Wash Resistance:
60°C, 25 cycles (ISO6330)
Dry cleaning: 15 cycles (ISO3175)



6808-3001 亮银全棉阻燃警示带

Flame-Retardant Bright Silver Reflective Warning Tape (Cotton)

Reflectivity: >350 CPL
Color: Red–Silver–Red
Backing Fabric: 100% Cotton
Wash Resistance:
60°C, 25 cycles (ISO6330)
Dry cleaning: 15 cycles (ISO3175)



6808-3002 亮银芳纶阻燃警示带

Flame-Retardant Bright Silver Reflective Warning Tape (Aramid)

ENISO20471 / ANSI107 / EN469 / EN11612 / EN14116 / UL / OEKO-TEX® Standard 100
Reflectivity: >350 CPL
Color: Yellow–Silver–Yellow
Backing Fabric: 100% Aramid
Wash Resistance:
60°C, 25 cycles (ISO6330)
Dry cleaning: 25 cycles (ISO3175)



6808-3002 亮银芳纶阻燃警示带

Flame-Retardant Bright Silver Reflective Warning Tape (Aramid)

ENISO20471 / ANSI107 / EN469 / EN11612 / EN14116 / UL / OEKO-TEX® Standard 100
Reflectivity: >350 CPL
Color: Red–Silver–Red
Backing Fabric: 100% Aramid
Wash Resistance:
60°C, 25 cycles (ISO6330)
Dry cleaning: 25 cycles (ISO3175)





Luminescent Reflective Tape Series (蓄光带系列)

This tape combines glow-in-the-dark and reflective performance to enhance safety in low-light and high-risk environments.

Constructed with a durable textile base, it is compatible with various fabrics and suitable for sewing, heat transfer, and bonding. It offers excellent resistance to washing and abrasion for long-lasting durability.

By integrating reflective and luminescent materials, it ensures dual visibility—reflecting light when illuminated and emitting a visible glow in darkness for extended nighttime safety.

Luminescent Reflective Tape Series (蓄光带系列)

6860-0003 T/C蓄光带

Luminescent Reflective Tape (T/C)

ENISO20471 / ANSI107 / OEKO-TEX® Standard 100
DIN67510 Class B
Color: Yellow-Green
Backing Fabric: Polyester/Cotton (T/C)
Wash Resistance: 40°C, 25 cycles (home washing)



6860-0002 全棉阻燃蓄光带

Flame-Retardant Luminescent Reflective Tape (Cotton)

ENISO20471 / ANSI107 / OEKO-TEX® Standard 100
DIN67510 Class B
Color: Yellow-Green
Backing Fabric: 100% Cotton
Wash Resistance: 40°C, 25 cycles (home washing)



6830-0006 蓄光膜

Luminescent Reflective Film (PET)

ENISO20471 / ANSI107 / OEKO-TEX® Standard 100
DIN67510 Class B
Color: Yellow-Green
Material: PET
Wash Resistance: 40°C, 25 cycles (home washing)



6860-0006 全棉蓄光阻燃反光烫带(箭头)

Flame-Retardant Heat Transfer Luminescent Reflective Tape (Cotton)

ENISO20471 / ANSI107 / EN469 / EN11612 / EN14116 / UL / OEKO-TEX® Standard 100
DIN67510 Class B
Color: Yellow-Green
Backing Fabric: 100% Cotton
Wash Resistance: 40°C, 25 cycles (home washing)





4-Way Stretch Reflective Tape Series (四面弹系列)

4-Way stretch reflective tape combines superior brightness with excellent elasticity. It delivers outstanding visibility in low-light conditions and performs reliably at night. Designed for stretch fabrics, it resists deformation, wrinkling, and peeling, with good wash and abrasion resistance.

Ideal for sportswear, workwear, cycling gear, and more, it offers both safety and wearing comfort.

4-Way Stretch Reflective Tape Series (四面弹系列)

6806-1003 亮银单面四面弹反光带

4-Way Stretch Bright Silver Reflective Fabric (Single-Sided)

ENISO20471 / ANSI107 / OEKO-TEX® Standard 100

Reflectivity: >400 CPL

Color: Silver

Composition: 85% Polyester + 15% Spandex (custom colors available)

Wash Resistance: 40°C, 25 cycles (home washing)



6806-2001 亮银双面四面弹反光带

4-Way Stretch Bright Silver Reflective Fabric (Double-Sided)

ENISO20471 / ANSI107 / OEKO-TEX® Standard 100

Reflectivity: >400 CPL

Color: Silver

Composition: 85% Polyester + 15% Spandex (custom colors available)

Wash Resistance: 40°C, 25 cycles (home washing)



6806-2006 普亮彩色双面四面弹反光带

4-Way Stretch Colored Reflective Fabric (Double-Sided)


ENISO20471 / ANSI107 / OEKO-TEX® Standard 100

Reflectivity: ≤30 CPL

Color: Customizable

Composition: Nylon / Spandex

Wash Resistance: 60°C, 15 cycles (ISO6330)





Reflective Heat Transfer Films (Pattern-Cut) (反光热贴膜&刻字膜系系列)

Heat Transfer Reflective Film

Made with a high-adhesion hot-melt base and a high-brightness reflective layer, this film applies easily without sewing and bonds firmly to various textiles through heat pressing. It provides excellent reflectivity for enhanced nighttime visibility and safety. With strong resistance to washing, wrinkling, and peeling, it is ideal for garments, bags, footwear, and customized applications.

Heat Transfer Reflective Vinyl (HTV) Film (Pattern-Cut)

Made from high-transparency reflective material with precision coating, this HTV offers bright reflectivity and clean, accurate cutting for letters, logos, and patterns. Flexible and easy to cut, it ensures strong adhesion after heat pressing and excellent durability against washing and abrasion. Compatible with cotton, polyester, and knitted fabrics, it is widely used in workwear, sportswear, bags, footwear, and safety gear.

Heat Transfer Reflective Film Series (反光热贴膜)

6804-2022 亮银反光热贴膜

Heat Transfer Bright Silver Reflective Film (PES)

ENISO20471 / ANSI107 / OEKO-TEX® Standard 100
Reflectivity: >400 CPL
Color: Silver
Backing Fabric: PES
Hot Pressing Temperature: 140–150°C
Hot Pressing Pressure: 4–6 kg/cm²
Hot Pressing Time: 8–15 seconds
Washing Performance: 60°C, 25 cycles (ISO6330)



6804-2022 亮银反光热贴膜

Heat Transfer Bright Silver Reflective Film (PES)

ENISO20471 / ANSI107 / OEKO-TEX® Standard 100
Reflectivity: >500 CPL
Color: Silver
Backing Fabric: PES
Hot Pressing Temperature: 140–150°C
Hot Pressing Pressure: 4–6 kg/cm²
Hot Pressing Time: 8–15 seconds
Washing Performance: 60°C, 25 cycles (ISO6330)



6804-2022 亮银反光热贴膜

Heat Transfer Bright Silver Reflective Film (PES)

ENISO20471 / ANSI107 / OEKO-TEX® Standard 100
Reflectivity: >500 CPL
Color: Silver
Backing Fabric: PES
Hot Pressing Temperature: 140–150°C
Hot Pressing Pressure: 4–6 kg/cm²
Hot Pressing Time: 8–15 seconds
Washing Performance: 60°C, 50 cycles (ISO6330)



6804-2022 亮银反光热贴膜 (刻字)

Heat Transfer Bright Silver Reflective Film (Engravable)

ENISO20471 / ANSI107 / OEKO-TEX® Standard 100
Reflectivity: >500 CPL
Color: Silver
Backing Fabric: PES
Hot Pressing Temperature: 140–150°C
Hot Pressing Pressure: 4–6 kg/cm²
Hot Pressing Time: 8–15 seconds
Washing Performance: 40°C, 25 cycles (ISO6330)



6804-2022 亮银弹力反光热贴膜(微弹)

Heat Transfer Bright Silver Elastic Reflective Film (TPU)

ENISO20471 / ANSI107 / OEKO-TEX® Standard 100
 Reflectivity: >400 CPL
 Color: Silver
 Backing Fabric: TPU
 Hot Pressing Temperature: 140–150°C
 Hot Pressing Pressure: 4–6 kg/cm²
 Hot Pressing Time: 8–15 seconds
 Washing Performance: 60°C, 25 cycles (ISO6330)



6804-2022 亮银弹力反光热贴膜(超弹)

Heat Transfer Bright Silver High-Stretch Reflective Film (TPU)

ENISO20471 / ANSI107 / OEKO-TEX® Standard 100
 Reflectivity: >400 CPL
 Color: Silver
 Backing Fabric: TPU
 Hot Pressing Temperature: 140–150°C
 Hot Pressing Pressure: 2–3 kg/cm²
 Hot Pressing Time: 8–15 seconds
 Washing Performance: 60°C, 25 cycles (ISO6330)



6804-2054 亮银工业水洗反光热贴膜

Heat Transfer Bright Silver Reflective Film (PES, Industrial Washing)

ENISO20471 / ANSI107 / OEKO-TEX® Standard 100
 Reflectivity: >500 CPL
 Color: Silver
 Backing Fabric: PES
 Hot Pressing Temperature: 140–150°C
 Hot Pressing Pressure: 4–6 kg/cm²
 Hot Pressing Time: 8–15 seconds
 Washing Performance:
 60°C, 35 cycles (ISO6330)
 75°C, 25 cycles (ISO15797)
 Dry cleaning: 25 cycles (ISO3175)



6804-2067 亮银阻燃工业水洗反光热贴膜

Flame-Retardant Bright Silver Heat Transfer Reflective Film (PES, Industrial Washing)

ENISO20471 / ANSI107 / OEKO-TEX® Standard 100
 Reflectivity: >500 CPL
 Color: Silver
 Backing Fabric: PES
 Hot Pressing Temperature: 140–150°C
 Hot Pressing Pressure: 4–6 kg/cm²
 Hot Pressing Time: 8–15 seconds
 Washing Performance:
 60°C, 50 cycles (ISO6330)
 75°C, 50 cycles (ISO15797)
 90°C, 50 cycles (ISO6330)
 Dry cleaning: 25 cycles (ISO3175)



Heat Transfer Reflective Film Series (反光热贴膜)

6804-1005 高亮反光热贴膜

Heat Transfer High Reflective Film (PES)

Reflectivity: >230 CPL
Color: Grey
Backing Fabric: PES
Hot Pressing Temperature: 120–130°C
Hot Pressing Pressure: 4–6 kg/cm²
Hot Pressing Time: 10–15 seconds
Washing Performance: 40°C, 25 cycles (home washing)



6804-1005 高亮反光热贴膜 (刻字)

Heat Transfer High Reflective Film (Engravable)

Reflectivity: >230 CPL
Color: Grey
Backing Fabric: PES
Hot Pressing Temperature: 120–130°C
Hot Pressing Pressure: 4–6 kg/cm²
Hot Pressing Time: 10–15 seconds
Washing Performance: 40°C, 25 cycles (home washing)



6804-0001 普亮彩色热贴

Heat Transfer Colored Reflective Film (PES/TPU)

Reflectivity: >10 CPL
Color: Custom colors available
Backing Fabric: PES/TPU



6804-0006 黑色炫彩热贴

Heat Transfer Black Reflective Film (PES)

Reflectivity: >30 CPL
Color: Black
Backing Fabric: PES
Hot Pressing Temperature: 130–140°C
Hot Pressing Pressure: 4–6 kg/cm²
Hot Pressing Time: 10–15 seconds
Washing Performance: 40°C, 25 cycles (home washing)



6804-2039 亮银反光热贴膜刻字

Heat Transfer Bright Silver Reflective Film (PES, Pattern-Cut)

Reflectivity: ≥ 330 CPL
 Color: Silver
 Backing Fabric: PES
 Hot Pressing Temperature: $130-140^{\circ}\text{C}$
 Hot Pressing Pressure: $4-6\text{ kg/cm}^2$
 Hot Pressing Time: 10–15 seconds
 Washing Performance: 60°C , 25 cycles (ISO 6330)



6804-1009 高亮反光热贴膜刻字

Heat Transfer High Reflective Film (PES, Pattern-Cut)


Reflectivity: ≥ 230 CPL
 Color: Grey
 Backing Fabric: PES
 Hot Pressing Temperature: $120-130^{\circ}\text{C}$
 Hot Pressing Pressure: $4-6\text{ kg/cm}^2$
 Hot Pressing Time: 10–15 seconds
 Washing Performance: 40°C , 25 cycles (ISO6330)



6804-2033 亮银反光热贴膜刻字

Heat Transfer Bright Silver Reflective Film (PES, Pattern-Cut)


Reflectivity: ≥ 330 CPL
 Color: Fluorescent Yellow–Grey–Fluorescent Yellow
 Backing Fabric: PES
 Hot Pressing Temperature: $130-140^{\circ}\text{C}$
 Hot Pressing Pressure: $4-6\text{ kg/cm}^2$
 Hot Pressing Time: 10–15 seconds
 Washing Performance: 60°C , 25 cycles (ISO6330)



6804-2042 亮银反光热贴膜阻燃刻字

Heat Transfer Flame-Retardant Bright Silver Reflective Film (PU, Pattern-Cut)

Reflectivity: ≥ 330 CPL
 Color: Fluorescent Yellow / Grey / Fluorescent Yellow
 Backing Fabric: PU
 Hot Pressing Temperature: $130-140^{\circ}\text{C}$
 Hot Pressing Pressure: $4-6\text{ kg/cm}^2$
 Hot Pressing Time: 10–15 seconds
 Washing Performance: 60°C , 25 cycles (ISO6330)




Heat Transfer Reflective Film Series (刻字膜系列)

6804-2046 亮银反光热贴膜刻字

Heat Transfer Bright Silver Reflective Film
(PES, Pattern-Cut)


Reflectivity: ≥ 330 CPL
Color: Silver
Backing Fabric: PES
Hot Pressing Temperature: $130\text{--}140^{\circ}\text{C}$
Hot Pressing Pressure: $4\text{--}6\text{ kg/cm}^2$
Hot Pressing Time: $10\text{--}15$ seconds
Washing Performance: 60°C , 25 cycles (ISO6330)



6804-2036 亮银反光热贴膜刻字

Heat Transfer Bright Silver Reflective Film
(PES, Pattern-Cut)

Reflectivity: ≥ 330 CPL
Color: Silver
Backing Fabric: PES
Hot Pressing Temperature: $130\text{--}140^{\circ}\text{C}$
Hot Pressing Pressure: $4\text{--}6\text{ kg/cm}^2$
Hot Pressing Time: $10\text{--}15$ seconds
Washing Performance: 60°C , 25 cycles (ISO6330)



6804-2034 亮银反光热贴膜刻字

Heat Transfer Bright Silver Reflective Film
(PES, Pattern-Cut)


Reflectivity: ≥ 330 CPL
Color: Silver
Backing Fabric: PES
Hot Pressing Temperature: $130\text{--}140^{\circ}\text{C}$
Hot Pressing Pressure: $4\text{--}6\text{ kg/cm}^2$
Hot Pressing Time: $10\text{--}15$ seconds
Washing Performance: 60°C , 25 cycles (ISO6330)



6804-2043 亮银反光热贴膜刻字

Heat Transfer Bright Silver Reflective Film
(PES, Pattern-Cut)

Reflectivity: ≥ 330 CPL
Color: Silver
Backing Fabric: PES
Hot Pressing Temperature: $130\text{--}140^{\circ}\text{C}$
Hot Pressing Pressure: $4\text{--}6\text{ kg/cm}^2$
Hot Pressing Time: $10\text{--}15$ seconds
Washing Performance: 60°C , 50 cycles (ISO6330)



6804-2038 亮银反光热贴膜刻字

Heat Transfer Flame-Retardant Bright Silver Reflective Film (PES, Pattern-Cut)

ENISO20471 / ANSI107 / EN469 / EN11612 / EN14116 / UL / OEKO-TEX® Standard 100
 Reflectivity: ≥ 330 CPL
 Color: Silver
 Backing Fabric: PES
 Hot Pressing Temperature: 130–140°C
 Hot Pressing Pressure: 4–6 kg/cm²
 Hot Pressing Time: 10–15 seconds
 Washing Performance: 60°C, 25 cycles (ISO6330)



6804-2035 亮银反光热贴膜刻字

Heat Transfer Flame-Retardant Bright Silver Reflective Film (PES, Pattern-Cut)


Reflectivity: ≥ 330 CPL
 Color: Silver
 Backing Fabric: PES
 Hot Pressing Temperature: 130–140°C
 Hot Pressing Pressure: 4–6 kg/cm²
 Hot Pressing Time: 10–15 seconds
 Washing Performance: 60°C, 25 cycles (ISO6330)



6804-2014 亮银反光热贴膜刻字

Heat Transfer Bright Silver Reflective Film (PES, Pattern-Cut)


ENISO20471 / ANSI107 / EN469 / EN11612 / EN14116 / UL / OEKO-TEX® Standard 100
 Reflectivity: ≥ 330 CPL
 Color: Silver
 Backing Fabric: PES
 Hot Pressing Temperature: 130–140°C
 Hot Pressing Pressure: 4–6 kg/cm²
 Hot Pressing Time: 10–15 seconds
 Washing Performance: 60°C, 25 cycles (ISO6330)



6804-2015 亮银反光热贴膜刻字

Heat Transfer Flame-Retardant Bright Silver Reflective Film (PES, Pattern-Cut)

ENISO20471 / ANSI107 / EN469 / EN11612 / EN14116 / UL / OEKO-TEX® Standard 100
 Reflectivity: ≥ 330 CPL
 Color: Silver
 Backing Fabric: PES
 Hot Pressing Temperature: 130–140°C
 Hot Pressing Pressure: 4–6 kg/cm²
 Hot Pressing Time: 10–15 seconds
 Washing Performance: 60°C, 25 cycles (ISO6330)



Die-Cut Reflective Tape Series (冲型系列)

6802-2063 高亮T/C反光带 冲孔

Die-Cut High Reflective Tape (T/C)


ENISO20471 / ANSI107 / EN469 / EN11612 / EN 14116 / UL / OEKO-TEX® Standard 100

Reflectivity: ≥ 230 CPL

Color: Grey

Backing Fabric: 100% Polyester

Washing Performance: 40°C, 25 cycles (ISO6330)



6802-3027 亮银T/C反光带 冲孔


Die-Cut Bright Silver Reflective Tape (T/C)

Reflectivity: ≥ 400 CPL

Color: Silver

Backing Fabric: 100% Polyester

Washing Performance: 60°C, 25 cycles (ISO 6330)



6804-2005 亮银反光热贴膜冲孔

Die-Cut Heat Transfer Bright Silver Reflective Film (PES)

ENISO20471 / ANSI107 / EN469 / EN11612 / EN 14116 / UL / OEKO-TEX® Standard 100

Reflectivity: ≥ 330 CPL

Color: Silver


Backing Fabric: PES

Hot Pressing Temperature: 130–140°C

Hot Pressing Pressure: 4–6 kg/cm²

Hot Pressing Time: 10–15 seconds

Washing Performance: 60°C, 25 cycles (ISO6330)



6808-3008 亮银全棉阻燃反光警示带 冲孔

Die-Cut Flame-Retardant Bright Silver Reflective Warning Tape (Cotton)

ENISO20471 / ANSI107 / EN469 / EN11612 / EN14116 / UL / OEKO-TEX® Standard 100


Reflectivity: ≥ 350 CPL

Color: Fluorescent Yellow / Silver / Fluorescent Yellow

Backing Fabric: Cotton

Washing Performance: 60°C, 25 cycles (ISO6330)

Dry Cleaning Resistance: 50 cycles (ISO3175)





Prismatic Reflective Grid Tape

反光晶格带系列

Featuring a high-brightness prismatic structure, this reflective grid tape delivers superior light reflection for enhanced visibility and safety, especially in low-light conditions.

Flexible and tear-resistant, it is ideal for sewing applications and ensures strong adhesion to various fabrics. With excellent wash resistance and wrinkle resistance, it is a reliable choice for safety garments and bags.

Reflective Grid Tape Series (反光晶格带系列)

6807-1022 反光晶格带

Reflective Grid Tape


OEKO-TEX® Standard 100
Reflectivity: >400 CPL
Color: Customizable
Backing Fabric: PVC



6807-1020 反光晶格带

Reflective Grid Tape


OEKO-TEX® Standard 100
Reflectivity: >400 CPL
Color: Customizable
Backing Fabric: PVC



6807-1016 反光晶格带

Reflective Grid Tape


OEKO-TEX® Standard 100
Reflectivity: >400 CPL
Color: Customizable
Backing Fabric: PVC



6807-1047 反光晶格带

Reflective Grid Tape

OEKO-TEX® Standard 100
Reflectivity: >400 CPL
Color: Customizable
Backing Fabric: PVC



6807-1046 反光晶格带

Reflective Grid Tape


OEKO-TEX® Standard 100
 Reflectivity: >400 CPL
 Color: Customizable
 Backing Fabric: PVC



6807-1042A 反光晶格带

Reflective Grid Tape

OEKO-TEX® Standard 100
 Reflectivity: >400 CPL
 Color: Customizable
 Backing Fabric: PVC



6807-1044A 反光晶格带

Reflective Grid Tape


OEKO-TEX® Standard 100
 Reflectivity: >400 CPL
 Color: Customizable
 Backing Fabric: PVC



6807-1023 反光晶格带

Reflective Grid Tape

OEKO-TEX® Standard 100
 Reflectivity: >400 CPL
 Color: Customizable
 Backing Fabric: PVC





High Reflective Warning Tape Series (反光警示带)


Made from high-performance reflective materials, this tape provides excellent visibility in low-light and nighttime conditions, enhancing safety and recognition. Flexible, durable, and tear-resistant, it is suitable for both heat transfer and sewing applications, with reliable performance even after repeated washing. Ideal for garments, bags, and outdoor safety applications.

High Reflective Warning Tape Series (反光警示带系列)

6808-2005D 高亮织带反光警示带

High Reflective Warning Tape


OEKO-TEX® Standard 100
Reflectivity: > 330 CPL
Backing Fabric: 11G/M Base Tape + High Reflective Tape Finish
Washing Performance: 40°C, 30 wash cycles (ISO6330)



6808-2025A 亮银织带反光警示带

Bright Silver Reflective Warning Tape

OEKO-TEX® Standard 100
Reflectivity: > 400 CPL
Backing Fabric: 15G/M Base Tape + Silver Coated Fiber
Washing Performance: 40°C, 30 wash cycles (ISO6330)



6808-1009A 高亮牛津反光警示带

High Reflective Warning Tape (Oxford Fabric)

OEKO-TEX® Standard 100
Reflectivity: > 330 CPL
Backing Fabric: 150D Oxford Fabric
Washing Performance: 40°C, 30 wash cycles (ISO6330)



6808-1013 亮银牛津反光警示带

Bright Silver Reflective Warning Tape (Oxford Fabric)

OEKO-TEX® Standard 100
Reflectivity: >400 CPL
Backing Fabric: 300D Oxford Fabric
Washing Performance: 40°C, 30 wash cycles (ISO6330)



Reflective Warning Tape Series (警示带系列)

6808-2016A 高亮车缝反光警示带

High Reflective Sew-On Warning Tape

OEKO-TEX® Standard 100
Reflectivity: > 330 CPL
Backing Fabric: 12G/M Base Tape + High Reflective Tape Fiber
Washing Performance: 40°C, 30 wash cycles (ISO6330)



6808-2056 高亮车缝反光警示带

High Reflective Sew-On Warning Tape (T/C)


OEKO-TEX® Standard 100
Reflectivity: > 330 CPL
Backing Fabric: 12G/M Base Tape + High Reflective Tape TC
Washing Performance: 40°C, 30 wash cycles (ISO6330)



6808-2053A 亮银车缝反光警示带

Bright Silver Reflective Sew-On Warning Tape


OEKO-TEX® Standard 100
Reflectivity: > 400 CPL
Backing Fabric: 15G/M Base Tape + Silver Coated Fiber
Washing Performance: 40°C, 30 wash cycles (ISO6330)



6808-2008 亮银车缝反光警示带

Bright Silver Reflective Sew-On Warning Tape (T/C)

OEKO-TEX® Standard 100
Reflectivity: > 330 CPL
Backing Fabric: 15G/M Base Tape + Silver TC
Washing Performance: 40°C, 30 wash cycles (ISO6330)





Decorative Reflective Tape Series

反光装饰品系列

High-quality reflective decorative materials that shine when exposed to light—perfectly combining style and safety.
Ideal for fashion accessories, garment trims, bag webbing, and DIY projects.

Woven Tape with Heat Transfer Reflective Pattern (反光烫带系列)



6808-2048
High Reflective Tape
Width: 10 × 5 mm



6808-2036
High Reflective Tape
Width: 16 × 11 mm



6808-2029
High Reflective Tape
Width: 20 × 10 mm



6808-2034
Bright Silver Reflective Tape
Width: 20 × 16 mm



6830-0021
High Reflective Tape
Width: 25 × 14 mm



6808-2026
Bright Silver Reflective Tape
Width: 32 × 20 mm

Applications:
Made by laminating high-visibility reflective films onto woven tapes in various colors and specifications, this product ensures enhanced visibility, easy application, and versatile use across multiple industries.



Reflective Bias Binding Tape (反光滚边带系列)



6115-4008
High Reflective Bias Binding Tape with Cord
反光有芯滚边带(高亮化纤)
Width: 10mm



6115-4007
Bright Silver Reflective Bias Binding Tape
银亮反光滚边带
Width: 10 mm




6115-4035
Medium Reflective Bias Binding Tape with Cord
反光有芯滚边带(中亮化纤)
Width: 10mm



6115-4036
Reflective Bias Binding Tape (Fluorescent Iridescent Fiber)
反光有芯滚边带(普亮彩色化纤)
Width: 10 mm



6115-4036
Reflective Bias Binding Tape (Fluorescent Iridescent Fiber)
反光有芯滚边带(普亮彩色化纤)
Width: 10 mm



6115-4036
Reflective Bias Binding Tape (Fluorescent Iridescent Fiber)
反光有芯滚边带(普亮彩色化纤)
Width: 10 mm



6115-4036
Reflective Bias Binding Tape (Fluorescent Iridescent Fiber)
反光有芯滚边带(普亮彩色化纤)
Width: 10 mm



6115-4036
Reflective Bias Binding Tape (Fluorescent Iridescent Fiber)
反光有芯滚边带(普亮彩色化纤)
Width: 10 mm



6115-4001
Standard Reflective Bias Binding Tape
普通反光滚边带
Width: 10 mm



6115-4037
Reflective Bias Binding Tape with Cord
(Iridescent Fiber) 反光有芯滚边带(七彩化纤)
Width: 10 mm



6115-4039
High Reflective Bias Binding Tape with Cord
反光有芯滚边带(高亮化纤)
Width: 10 mm



Reflective Cutting Yarn Series (反光丝系列)

Double-Sided Reflective Cutting Yarn

6805-4001, Width: 0.375 mm

6805-4002, Width: 0.5mm

6805-4003, Width: 1mm

6805-4005, Width: 2mm

Single-Sided Reflective Cutting Yarn

6805-2001, Size: 1mm

6805-2002, Width: 1.5mm

6805-2003, Size: 2mm

6805-2004, Size: 2.5mm

Reflective Cutting Yarn Applications



Reflective Armband (反光臂带)



6812-0008, Size: 25 × 230 mm



6812-0007, Size: 30 × 300 mm



6812-0003, Size: 30 × 250mm



6812-0004, Size: 30 × 310mm

Reflective Strap 反光制品系列



6830-0010, Size: 50 × 260mm



6131-9026, Size: 50 × 300mm



6812-1001, Size: 70 × 50 × 350mm



6830-0011, Size: 50 × 400mm



Reflective Logo (反光标)



7201-2316
Size: 28 × 60mm



6804-2064A
Heat Transfer Reflective Label
亮银反光热贴膜刻字(反光烫唛)
Size: 30 x 50mm



6804-2065A
Heat Transfer Reflective Label
亮银反光热贴膜刻字(反光烫唛)
Size: 30 x 50mm

Reflective Sticker 反光贴




6830-0035
Size: 65mm



6830-0038
Size: 65mm



6830-0008
Size: 50mm



Reflective Pendants 反光挂件



6813-0018 Size: 40 × 58mm



6813-0020 Size: 45 × 80mm



6813-0012 Size: 60 × 70mm



6813-0013 Size: 60mm



6813-0015 Size: 80mm

Reflective Vests (反光背心)



6811-1044



6811-1045



6811-1037



6811-1011



6811-1038



6811-1014



6811-1004



6811-1024



6811-1026





NINGBO MH INDUSTRY CO., LTD.

Add: #18 Ningnan North Road, Yinzhou, Ningbo, China

Postcode: 315192

Tel: 0086-574-27766888.27766999

E-mail: mh@mh-chine.com

<https://www.mh-chine.com>

<https://www.facebook.com/ningbomhofficial>

<https://www.instagram.com/mhchine/>

<https://www.linkedin.com/company/ningbomh>

<https://www.youtube.com/c/ChinaMH>

<https://x.com/ningbomh>

