



ZIPPER

Catalogue-2th



ABOUT MH



Ningbo MH, established in 1999, specializes in garment accessories and fabrics. Over 24 years, it has forged strong business ties with over 150 countries, achieving a sales figure of \$683 million in 2023, making it a leading supplier of garment accessories and fabrics in China. MH main products include sewing threads, embroidery threads, zippers, ribbons & tapes, embroidery laces, buttons, interlinings, and a variety of fabrics such as TC poplin, taffeta, pongee, T/R, mini-matt, oxford, school check, satin, mesh, jersey, fleece, stretch fabric, etc.

MH operates nine factories across three industrial zones, focusing on threads, laces, and ribbons, laying the foundation for its vision to become the "kingdom of tailor's material."

MH boasts a dedicated sales team of 560 professionals and maintains 52 overseas branches with 105 local staff in Africa, Latin America, Eastern Europe, and Asia. This global network ensures MH offers professional, swift, and efficient door-to-door services, tailored to meet the specific needs of each market.

MH is committed to continuous innovation in products and services, internal management optimization, and customer value creation. It has received accolades such as "Zhejiang Top 100 Service Industry," "Zhejiang Made Leading Export Enterprise," and "AA Trustworthy Company," and is recognized as a National Embroidery Fabric Product Development Base. Additionally, its trademarks "MH" and "TWO BIRDS" are celebrated by customers and consumers alike.

MH values the trust of its customers profoundly, upholding a customer-first principle. It pledges to supply a comprehensive range of products at reasonable prices, guarantee on-time delivery, and maintain the appropriate quality for its garment accessories and fabrics.



EQUIPMENT


- Quality Guaranteed
- Fast Delivery




STANDARD
100

Zipper


Type of Zipper 拉链类型




Closed-end Zipper(Non-separable)
闭尾拉链(不能完全分开)




Open-end Zipper(Separable)
开尾拉链(可完全分开)



Two Way Close-end Zipper O Tape
双拉头两头相对, 即“O”型闭尾拉头




Two Way Open End Zipper(separable)
双开尾拉链




Two Way Close-end Zipper X Tape
双拉头两头相背, 即“X”型闭尾拉头


Structure of a Slider 拉头的构造




插入类型 Insertion Type



连接件类型 Cramper Type








Structure of Zipper 拉链的构造



Zipper

Methods of Zipper Measurement 拉链长度测量方法

Classification 类型	Dimensions	A=标准的拉链长度 A1=前带头 A2=后带头
Closed-end Zipper 闭尾拉链	From the top end of the slider to the tip of the bottom stop. 从拉头的顶端到下止外端的距离	
Open-end Zipper 开尾拉链	From the top end of the slider to the tip of the open part. 从拉头的顶端到插座外端的距离	
Two Way Open End Zipper 双开尾拉链	From the top end of the slider to the bottom end of the reinforcing tape (to the tip of the open part) 从上拉头的顶端到下拉头顶端的距离	
Zipper with Double Slider (Arranged in head-to-head relation) 双拉头两头相对即“O”型闭尾拉头	From the tip of one bottom stop to the tip of the other bottom stop. 两下止末端之间的长度	
Zipper with Double Slider (Arranged in Bottom-to-Bottom Relation) 双拉头两头相背即“X”型闭尾拉头	From the top end of one slider to the top end of the other slider. 两拉头顶端之间的长度	

Zipper Length Inspection Standards (Allowable Tolerance) 拉链长度检验标准 (允许公差)

Type		3#				4#	5#	7#		8#	10#		
Specificati on (mm)	Base Spec.	≤315	>315 ~630	>630 ~1000	>1000	≤315	>315 ~630	>630 ~1000	>1000	≤315	>315 ~630	>630 ~1000	>1000
	Tolerance	±3	±5	±6	± (Lx1%)	±4	±6	±7	± (Lx1%)	±5	±7	±9	± (Lx1%)

Commonsense for Zipper

A: 拉链品质常用鉴别方法:

- 布带: 布带染色要均匀、无污点、无伤痕、且手感柔软, 在垂直或不平方向, 布带要呈小波浪型。
- 链齿: 链齿表面要平滑, 拉启时手感柔畅, 且杂音小。
- 拉头: 自动锁拉头拉启轻松自如, 锁固而不滑落。
- 贴布: 贴布紧扣布带, 不易断裂、脱落。
- 方块、插销: 穿插自如, 紧固布带。
- 上止: 上止紧扣第一粒牙(金属、尼龙), 距离不能超过1mm且结实完美。
- 下止: 下止紧扣链齿或钳在链齿上, 且结实完美。

A: Common Methods for Evaluating the Zipper Quality

- Tape:** The dyeing of the tape should be uniform and the fabric should feel soft, without any stains or blemishes. The edge of the tape should have a slight wave pattern.
- Teeth:** The surface of the teeth should be smooth. They should function smoothly and not feel stiff when used.
- Slider:** The slider should move smoothly and freely along the teeth, fastening securely without sliding off.
- Hem:** The hem should fit the band well, not breaking or coming off easily.
- Separating Pin and Retainer:** The square bolt should insert easily and fit closely to the band.
- Top Stop:** The top stop should align with the first tooth on metal and nylon zippers. The distance should not exceed 1 cm, and it should be securely fastened and aesthetically pleasing.
- Bottom stop:** The bottom stop should align with the teeth or be securely fastened to the surface, remaining firm and flat.

尼龙、金属、注塑拉链型号推荐使用表

Recommended Use of Nylon Zipper\Brass Zipper\Resin Zipper

主要用途和种类 Main uses and types		型号 Type			
		3#,4#	5#	7#,8#	10#
女内衣、裤、裙	Female underwear, pant, and skirts trousers	√	-	-	-
西装裤、童装	Trousers, children's clothing	√	√	-	-
女胸衫、休闲服	Female chest shirt, casual wear	√	√	-	-
工作服、作训服、牛仔服装	Uniforms, training suits, jean	√	√	-	-
帽、手套、箱包内袋	Hat, glove, luggage inner bag	√	√	-	-
皮包、箱包外袋、鞋、夹克衫	Purse, luggage out bag, shoes, jacket	-	√	-	-
滑雪服、羽绒服	Ski jacket, down jacket	-	√	√	-
呢大衣、皮大衣	Duffle coat, leather coat	-	√	√	-
皮箱	Suitcase	-	√	√	-
睡袋	Sleeping bag	-	√	√	-
旅游帐篷	Camping tent	-	√	√	√
鞋靴	Shoes & Boots	-	√	√	-
军械罩袋	Armament cover	-	-	√	√
天篷(船)、大帐篷	Canopy (ship), the big tent	-	-	-	√
雨篷及框架帐篷	Canopy and framed tent	-	-	-	√



NYLON ZIPPER

Usage: For garments, suitcases, sleeping bags, camping tents, shoes, etc.

尼龙拉链物理性能表
Technical Instruction of Nylon Zipper

QB/T 2173-2014 Nylon Zipper

Testing Items 检测项目		型号 Type					
		3#	4#	5#	7#	8#	10#
平拉强力/N	≥ Chain Crosswise Breaking Strength	380	400	600	650	800	900
拉合轻滑度/N	≤ Tab Pull-Off Strength	4.0	5.0	5.0	7.0	7.0	7.0
上止强力/N	≥ Holding Strength of Top Stop	50	70	90	110	115	130
下止强力/N	≥ Holding Strength of Bottom Stop	40	50	80	100	110	120
开尾单边上止强力/N	≥ Single-Sided Top Stop Strength for O/E Zipper	50	60	70	70	90	120
开尾平拉强力(包括双开尾拉链)/N	≥ Crosswise Strength of O/E Zipper	70	80	100	120	120	160
插座移位强力(包括双开尾拉链)/N	≥ Box Slippage Strength	70	80	100	130	140	160
插管移位强力/N	≥ Pin Slippage Strength	60	65	90	100	110	120
拉头拉片结合强力/N	≥ Resistance to Pull-Off Puller and Slider	90	120	200	250	270	300
拉头拉片抗扭力矩/N.m	≥ Resistance to Torsion of Puller and Slider	0.20	0.30	0.45	0.50	0.90	1.2
拉头抗张强力/N	≥ Slider Tensile Strength	43	58	60	80	90	100
拉头自锁强力/N	≥ Slider Auto-Locking Strength	20	30	35	50	60	70
负荷拉次/双次	≥ Reciprocation Test(Double)	600					

Nylon Zipper



6510-0030
#3 Invisible
Fabric Tape
C/E

6510-0019
#3 Invisible
Lace Tape
C/E

6510-0082
#4 Invisible
Fabric Tape
C/E

6510-0128
#4 Invisible
Lace Tape
C/E

6510-0137
#5 Invisible
Fabric Tape
C/E



6500-0213
#3 Nylon(Reverse)
C/E Semi A/L

6501-0061
#3 Nylon(Reverse)
O/E A/L

6501-0004
#3 Nylon
O/E A/L

6501-0003
#3 Nylon O/E A/L
(Molding Pin and Box)

6501-0097
#3 Nylon
Two-ways

Nylon Zipper



6500-0016
#3 Nylon
C/E P/L



6500-0085
#3 Nylon
C/E A/L



6500-0108
#3 Nylon
C/E A/L



6500-0003
#3 Nylon
C/E A/L



6500-0233
#3 Nylon
C/E P/L



6559-0050
#3 Nylon
C/E N/L



6500-0162
#3 Nylon Reflective
Tape, C/E Semi A/L



6502-0013
#4 Nylon
C/E P/L



6502-0005
#4 Nylon
C/E A/L



6503-0011
#5 Nylon
C/E A/L



6504-0053
#5 Nylon
O/E A/L



6504-0117
#5 Nylon
O/E A/L



6504-0408
#5 Nylon
O/E P/L(Left insert)



6504-0207
#5 Nylon
O/E A/L



6503-0047
#5 Nylon
C/E A/L



6505-0006
#7 Nylon
C/E A/L



6506-0279
#7 Nylon(Reverse)
O/E A/L



6506-0226
#7 Nylon
O/E A/L



6506-0036
#7 Nylon
Two-ways



6506-0186
#7 Nylon(Reverse)
Two-ways

Nylon Zipper



6508-0021
#5 Nylon Silver
Teeth, O/E A/L



6508-0123
#5 Nylon Multi-color
Teeth, O/E A/L



6508-0018
#5 Nylon Golden
Teeth, O/E A/L



6508-0050
#5 Nylon Golden
Teeth, O/E A/L



6508-0282
#5 Nylon Black Nickel
Teeth, O/E A/L



6508-0135
#5 Nylon Golden Teeth
& Tape, O/E A/L



6508-0019
#5 Nylon Silver Teeth
& Tape, O/E A/L



6505-0017
#7 Nylon C/E A/L
(Shoe)



6507-0001
#8 Nylon
O/E A/L



6507-0045
#10 Nylon
O/E A/L

METAL ZIPPER

Usage: For pants, jeans, jackets, purses, shoes, etc.

金属拉链物理性能表

Technical Instruction of Brass Zipper

QB/T 2171-2014 Brass Zipper

Testing Items 检测项目		型号 Type					
		3#	4#	5#	7#	8#	10#
平拉强力/N	≥ Chain Crosswise Breaking Strength	380	425	500	600	650	800
拉合轻滑度/N	≤ Tab Pull-Off Strength	3.0	3.5	4.0	6.0	6.5	7.0
上止强力/N	≥ Holding Strength of Top Stop	78	80	100	130	150	160
下止强力/N	≥ Holding Strength of Bottom Stop	50	60	80	130	150	180
开尾单边上止强力/N	≥ Single-Sided Top Stop Strength for O/E Zipper	50	60	70	80	100	120
开尾平拉强力/N	≥ Crosswise Strength of O/E Zipper	80	100	120	150	180	200
插座移位强力/N	≥ Box Slippage Strength	80	90	100	110	130	150
插管移位强力/N	≥ Pin Slippage Strength	60	65	80	85	100	120
拉头拉片结合强力/N	≥ Resistance to Pull-Off Puller and Slider	120	150	200	210	250	300
拉头拉片抗扭力矩/(N.m)	≥ Resistance to Torsion of Puller and Slider	0.20	0.30	0.45	0.60	0.80	0.90
拉头抗张强力/N	≥ Slider Tensile Strength	42	58	60	60	75	80
拉头自锁强力/N	≥ Slider Auto-Locking Strength	30	50	60	90	90	100
负荷拉次/双次	≥ Reciprocation Test(Double)	600					
单牙移位强力/N	≥ Single Teeth Slippage Strength	40	45	50	60	90	120

Metal Zipper



6549-0030
#3 Stainless Steel
C/E Semi A/L



6549-0035
#4 Stainless Steel
C/E Semi A/L



6549-0031
#5 Stainless Steel
C/E Semi A/L



6545-0104
#5 Stainless Steel
O/E A/L



24NZ-0105
#5 Stainless Steel
O/E A/L(polish)



24NZ-0106
#3 Stainless Steel
Shinning silver
C/E Semi A/L



24NZ-0107
#3 Stainless Steel
Shinning Golden
C/E Semi A/L



24NZ-0108
#4 Stainless Steel
Black Nickel
C/E Semi A/L



24NZ-0109
#4 Stainless Steel
Brass Plated
C/E Semi A/L



6549-0037
#4 Stainless Steel
Anti-Brass
C/E Semi A/L



6538-0004
#3 Aluminum
C/E A/L

6540-0015
#4 Aluminum
C/E A/L

6543-0065
#5 Aluminum
O/E P/L

6542-0082
#5 Aluminum
C/E P/L

6543-0067
#5 Aluminum
O/E A/L



6545-0065
#5 Aluminum
Y-Teeth
O/E A/L

6545-0152
#5 Aluminum
Shinning Golden Y-Teeth
O/E A/L

6549-0039
#5 Titanium Alloy
Copper Y-Teeth
O/E A/L

6544-0003
#8 Aluminum
O/E A/L

6544-0005
#10 Aluminum
C/E A/L

Metal Zipper



6531-0056
#3 Golden Brass
O/E A/L



6545-0007
#3 Brass, Y Teeth
C/E Semi A/L



6531-0006
#3 Golden Brass
O/E A/L



6532-0088
#4 Brass Cotton Fabric
Tape C/E Semi A/L



6532-0004
#4 Brass
C/E Semi A/L



6534-0022
#5 Brass
C/E P/L



6535-0001
#5 Brass
O/E A/L



6535-0150
#5 Brass
Two-ways



6536-0116
#8 Nickel Brass
O/E A/L



6536-0136
#10 Nickel Brass
O/E A/L



6535-0215
#5 Nickel Brass
O/E A/L



6535-0399
#5 Anti-silver Brass
O/E A/L



6534-0127
#5 Black Nickel Brass
C/E A/L



6535-0210
#5 Golden Brass
O/E A/L



6534-0191
#5 Anti-copper
C/E A/L



6545-0001
#5 Shinning Silver Brass
O/E A/L (Y Teeth)



6549-0040
#5 Brass Corn-teeth
O/E A/L



6536-0042
#12 Golden Brass
O/E A/L



6536-0039
#15 Golden Brass
C/E A/L

Plastic Zipper Resin Zipper

Usage: For ski jackets, down jackets, casual wears, outdoor wears, etc.



注塑拉链物理性能表

Technical Instruction of Resin Zipper

QB/T 2172-2014 Resin Zipper

Testing Items 检测项目		型号 Type					
		3#	4#	5#	6#	8#	10#
平拉强力/N	≥ Chain Crosswise Breaking Strength	250	300	350	400	500	550
拉合轻滑度/N	≤ Tab Pull-Off Strength	4.0	5.0	7.0	7.0	7.0	9.0
上止强力/N	≥ Holding Strength of Top Stop	60	70	100	110	150	160
下止强力/N	≥ Holding Strength of Bottom Stop	40	60	70	80	100	120
开尾单边上止强力/N	≥ Single-Sided Top Stop Strength for O/E Zipper	50	60	70	75	90	100
开尾平拉强力(包括双开尾)/N	≥ Crosswise Strength of O/E Zipper	70	90	110	120	140	170
插座移位强力(包括双拉头的下拉)/N	≥ Box Slippage Strength	70	85	110	120	140	160
插管移位强力/N	≥ Pin Slippage Strength	60	80	100	110	140	150
拉头与拉片结合强力/N	≥ Resistance to Pull-Off Puller and Slider	150	200	230	250	280	300
拉头拉片抗扭力矩/N.m	≥ Resistance to Torsion of Puller and Slider	0.20	0.30	0.45	0.45	0.70	0.90
拉头抗张强力/N	≥ Slider Tensile Strength	50	58	60	65	80	90
拉头自锁强力/N	≥ Slider Auto-Locking Strength	25	30	35	50	60	80
负荷拉次/双次	≥ Reciprocation Test(Double)	600					
单牙移位强力/N	≥ Single Teeth Slippage Strength	30	45	60	70	90	100

Plastic/Resin Zipper



6518-0005
#3 Resin
O/E A/L

6512-0004
#5 Plastic
C/E A/L

6513-0010
#5 Plastic
O/E A/L

6520-0087
#5 Resin
C/E A/L

6521-0120
#5 Resin
O/E A/L



6513-0156
#5 Plastic Two-tone
Teeth Tape O/E A/L

6521-0158
#5 Resin
Two-ways

6523-0059
#8 Resin
O/E A/L

6523-0022
#8 Resin
Two-ways

6524-0078
#10 Resin
C/E A/L

Plastic/Resin Zipper



6529-0199
#5 Resin Golden
Teeth O/E A/L



6529-0276
#5 Resin Silver
Teeth O/E A/L



6529-0253
#5 Resin Laser
Teeth O/E A/L



6529-0162
#5 Resin Golden
Teeth & Tape O/E A/L



6529-0163
#5 Resin Silver
Teeth & Tape O/E A/L



6529-0164
#5 Resin Multi-color
Teeth O/E A/L



6519-0045
#5 Plastic Silver Teeth
C/E A/L



6529-0168
#5 Resin Reflective
Tape O/E A/L



24NZ-0102
#5 Resin Corn-
teeth O/E A/L



24NZ-0104
#5 Resin Corn-
teeth Waterproof
tape C/E A/L



6529-0161
#5 Resin O/E A/L
(Thin-teeth)



6529-0293
#5 Resin O/E A/L
(Dynamic-teeth)



6529-0166
#5 Resin C/E A/L
(Corn-teeth)



6559-0067
#5 Resin O/E A/L
(Imitation Metal-teeth)



6529-0187
#5 Resin O/E A/L
(Square-teeth)



6529-0511
#5 Resin O/E A/L
(Tank-teeth)



6529-0516
#5 Resin O/E A/L
(Diamond-teeth)



24NZ-0103
#5 Resin C/E A/L
(Cylinder-teeth)



6529-0513
#8 Resin O/E A/L
(Alphabet-teeth)



6529-0582
#8 Resin O/E A/L
(Imitation Enhanced-teeth)



Fireproof Zipper



6559-0681
#5 Nylon Fireproof
O/E A/L



6559-0069
#5 Resin Fireproof
Two-ways



6559-0647
#5 Resin Fireproof
O/E A/L



6559-0051
#5 Brass Fireproof
O/E A/L



6559-0682
#5 Brass Fireproof
C/E A/L



Waterproof Zipper



6559-0422
#3 Nylon Waterproof
PU Tape, C/E A/L



6559-0424
#7 Nylon Waterproof
PU Tape, C/E A/L



6559-0537
#7 Nylon Waterproof
TPU Tape, C/E A/L



6559-0006
#7 Nylon Waterproof
TPU Tape, O/E A/L



6559-0423
#7 Nylon Waterproof
PU Tape, O/E A/L

Waterproof Zipper



6559-0088
#7 Nylon Waterproof
TPU Tape, O/E A/L



6559-0683
#5 Nylon Waterproof
O/E A/L



6559-0684
#5 Nylon Waterproof
O/E A/L



22NZ-0117
#7 Nylon Waterproof
O/E A/L



6559-0685
#5 Nylon Waterproof
C/E A/L

Special Zipper



6511-0001
#3 Nylon LFC
C/E P/L



6559-0680
#3 Intensified
C/E P/L



6559-0228
#4 Intensified
C/E Semi A/L



6559-0061
#5 Intensified
O/E A/L



6559-0536
#7 Nylon Woven
O/E A/L

Metal Special Zipper



6536-0040
#0 Black Golden Brass
C/E A/L



6536-0041
#1 Shinning Silver Brass
C/E A/L



6536-0038
#2 Light Golden Brass
O/E A/L



6534-0093
#5 Light Golden Brass
C/E A/L



23NZ-0068
#5 Black Golden
Brass Two-ways



23NZ-0043
5# Brass Y-teeth
C/E A/L



6534-0192
#5 Light Golden Brass
C/E A/L



6559-0057
#5 Brass
O/E A/L



6535-0400
#5 Nickel Brass Jean's
Tape O/E A/L



23NZ-0038
5# Brass Shinning
Silver C/E A/L

Special Zipper



6500-0272
3# Reverse Nylon
C/E A/L

6559-0534
#5 Nylon Printed Teeth
O/E A/L

6508-0334
#7 Nylon Transparent
Tape C/E A/L

24NZ-0013
7# Reverse Nylon
C/E A/L

23NZ-0011
7# Nylon
C/E A/L



23NZ-0120
5# Resin Transparent
Teeth, O/E A/L

6520-0098
#5 Resin Transparent
Teeth, C/E A/L

6559-0071
#5 Multi-color Diamond
C/E A/L

6559-0072
#8 Multi-color Diamond
O/E A/L

6559-0042
#10 Diamond, O/E A/L
2 Lines Stone

Zipper Long Chain



6560-0225
#3 Nylon

6560-0160
#5 Nylon

6560-0001
#7 Nylon

6560-0117
#8 Nylon

6560-0127
#10 Nylon



6562-0002 #3 Invisible Fabric Tape
6562-0001 #3 Invisible Lace Tape

6561-0013
#5 Nylon
(Golden-teeth)

6561-0031
#5 Nylon
(Silver-teeth)

6561-0056
#5 Nylon
(Multi-color-teeth)

Zipper Long Chain



6566-0023
#3 Brass



6566-0024
#4 Brass



6566-0025
#5 Brass



6566-0140
#8 Brass



6566-0141
#10 Brass



6566-0029
#5 Aluminum



6566-0026
#5 Brass Silver Corn-teeth



6566-0028
#5 Brass Y-teeth



6566-0034
#5 Aluminum Y-teeth



6566-0030
#5 Aluminum



6565-0065
#3 Resin

6564-0005
#5 Plastic

6565-0013
#5 Resin

6565-0014
#8 Resin

6565-0015
#10 Resin



6565-0019
#5 Resin
Imitation Metal-teeth

6565-0053
#5 Resin
Diamond-teeth

6565-0042
#5 Resin
Egg Hook-teeth

6569-0049
#5 Nylon Woven

6569-0028
#7 Resin Waterproof

Zipper Long Chain



6569-0024
#7 Nylon
TPU Waterproof

6569-0050
#7 Nylon
PU Waterproof

6569-0025
#7 Nylon
Waterproof

6569-0086
#7 Nylon PU
Waterproof Printed Tape

6569-0058
#7 Nylon TPU
Waterproof Printed Tape



Packing: 3# 400m/skein;
5#/7#/8# 200m/skein;
10# 100m/skein

Packing: 3# 400m/roll;
5#/7#/8# 200m/roll;
10# 100m/roll

6566-0131
#3 Stainless Steel
Y-teeth

6569-0017
#3 Nylon PVC Tape
2.6cm

6569-0019
Zipper for File Bag

Pin & Box



#5 Iron Four-pin Bottom Stop



Left Side



Right Side



#10 Pin & Box



#8 Pin & Box



#4 Brass H Bottom Stop



#4 Aluminum U Top Stop



#5 Brass European Style Top Stop



#5 Small Brass U Top Stop

Connected Part



6581-00A



6581-00B



6581-00C



6581-00D



6581-00E



6581-00F



6581-00G

Fabric Film

Spec: 15mm, 18mm.



Transparent Film

Spec: 15mm, 18mm



Aluminum & Brass Wire

Spec: 1.8mm(2.4, 3.0, 3.5, 3.6)*0.4mm.



Nylon Wire

Spec: 0.74, 0.68, 0.5mm




Sewing Thread for Teeth



Filler Cord



The image features a black zipper pull and a roll of pink zipper tape. The background is a dark, textured surface with a diagonal yellow and maroon stripe. The zipper pull is located in the upper left quadrant, and the roll of pink zipper tape is in the lower left quadrant.

NINGBO MH INDUSTRY CO., LTD.

Add: #18 Ningnan North Road, Yinzhou,
Ningbo, China

Postcode: 315192

Tel: 0086-574-27766888.27766999

E-mail: mh@mh-chine.com

<https://www.mh-chine.com/>

<https://www.facebook.com/ningbomhofficial>

<https://www.instagram.com/mhchine/>

<https://www.linkedin.com/company/ningbomh>

<https://www.youtube.com/c/ChinaMH>

<https://x.com/ningbomh>